


SOLUTIONS FOR THE REPAIR RENOVATION AND DECOMMISSIONING OF PIPELINES

HIRE RATES

Illustrated Parts List Valid Until June 2015



Steve Vick International Ltd

Treenwood Industrial Estate, Bradford-on-Avon, BA15 2AU, UK

Telephone: +44 (0)1225 864 864 Email: info@stevevick.com Web: www.stevevick.com











PIPE HANDLERS

Digger attachments for inserting and manoeuvring PE pipe.

Item Description	Part No.	
Pipe Handler – 355mm Pipe Handler – 500mm Pipe Handler – 630mm	XPH355 XPH500 XPH630	
Pipe Handler Shells	XPH250 XPH315 XPH355S XPH400S XPH450 XPH500S	
Mini Pipe Handler – 125mm	XPH125	
Midi Pipe Handler – 180mm	XPH180	



KEEL CUTTER

Circumferential Pipe Cutters that automatically track around the pipe

Item Description	Part No.	
Keel Cutter N450	V// CO.	
Complete system includes; N450 pipe cutter, hydraulic motor c/w	XKC01 With 20ltr power pack	
adaptor and operators safety handle, 2 extension chains, water spray coolant unit including 3m of hose, 5 steel wedges and tool kit. All the above stored in a sturdy metal security box	XKC02 Without 20ltr power pack	
Keel Cutter N600 Complete system includes; N600 pipe cutter c/w guide ring attachment, hydraulic motor c/w adaptor and operators safety handle, 6 extension chains, water coolant tank, 7 steel wedges, tool kit and security box	XKC03 With 30ltr power pack	
Suitable to cut pipe diameters of 250 -1500mm		
NB. A single blade is included in each Hire unit. If the blade is not returned with the Hire equipment, a charge will be incurred for the full list price		



'MACAW' PIPE CRACKERS

For safe, effective breaking out of redundant, or inserted cast iron mains.

Item Description	Part No.	
MACAW Pipe Cracker 8 – 24" You need to state "beak" size required when hiring, depending on the pipe you wish to crack. Comes with I beak	XPC001	
Additional beaks -		
10"	XPC110	
12"	XPC112	
14"	XPC114	
15"	XPC115	
16"	XPC116	
18"	XPC118	
20"	XPC120	
24"	XPC124	
Mini MACAW Pipe Cracker 3 – 8"	XMMC01	



Pipe Pushing Machines

A safe, cost effective alternative to the use of winches for sliplining/inserting PE.

National Grid Gas preferred method in Code of Practice.

Item Description	Part No.	
I 25 Pneumatic Pushing M/c	XLM125	
I 80 Hydraulic Pushing M/c c/w Power Pack	XLM180	
355 Hydraulic Pushing M/c c/w Power Pack	XLM355	
500 Hydraulic Pushing M/c c/w Power Pack	XLM500	



Item Description	Part No.	
630 Hydraulic Pushing M/c c/w Power Pack	XLM630	
Power Pack (without m/c)	XHD181	
Shells – to suit I 25mm – I 80mm m/c	Various Sizes available	
Shells – to suit 315mm – 630mm m/c	Various sizes available	



MINI PURGE EJECTOR

Used in the abandonment of mains for purging the annulus. From 3" to 12" Low pressure.

Item Description	Part No.	
Mini Purge Ejector Complete with Vent stacks	XMPE01	Min Purg W

UNDER PRESSURE DRILL

For drilling holes up to 50mm in gas pipes – also used with the Live Service Transfer technique

Item Description	Part No.	
Under Pressure Drill Standard Model Ex-long Model	XLSDR 190 XLSDR 400	

