

STEVE VICK


INTERNATIONAL



SOLUTIONS FOR THE REPAIR RENOVATION AND DECOMMISSIONING OF PIPELINES

DRAINBLOCK™ AND RATBLOCK™ 4" AND 6" KITS

Illustrated Parts List Valid Until June 2015



Steve Vick International Ltd

Greenwood Industrial Estate, Bradford-on-Avon, BA15 2AU, UK

Telephone: +44 (0)1225 864 864 Email: info@stevevick.com Web: www.stevevick.com


DRAINBLOCK BAG™

In certain areas, for example road junctions and entrances to sensitive buildings, it is quite often impractical to disconnect or seal a redundant drainage or sewer lateral at the point where it connects to the parent main. However, using the Drainblock technique in conjunction with CCTV equipment, it is now possible for an operative to seal off drainage or sewer laterals from a non-sensitive location right the way up to where the lateral connects to the parent main.

The Drainblock Bag™ technique can be carried out on drain pipes of nominal sizes up to and including 180mm and be utilised on clay, concrete and plastic material where the prevention of water ingress or odour is a priority.

It has been designed to stay permanently in place resisting a head of water of up to 5 metres in height. It can be deployed into damp pipes as long as they have been cleaned by pressure jetting.

The Drainblock Bag™ can be deployed up to 20 metres from the point of access into the sewer or drain lateral and positioned accurately by use of CCTV technology. Longer distances can be achieved although consultation with our technicians is strongly advised if this is to be attempted.

Description	Part No.	
4" Drainblock Bag Kit	FK230	
6" Drainblock Bag Kit	FK231	



RATBLOCK BAG™


RATBLOCK™ comprises a self-actuating, expanding polyurethane foam sachet contained within a bag which also incorporates two articulated steel plate membranes. Once cured, the foam provides a water, odour and gas tight seal within the pipe while the steel membrane prevents the passage of vermin. RATBLOCK™ may be attached to standard drainage rods or flexible rod reel systems.

RATBLOCK™ is an adaptation of our DRAINBLOCK BAG™ which has WRc approval. RATBLOCK™ 4” and 6” has been thoroughly tested by WRc and has been certificated as vermin proof as well as water and odour proof. For other sizes please contact our technical department.

CONTRACT SERVICE OR KIT FORM

Steve Vick International offers RATBLOCK™ as a Special Contract Service carried out by our highly skilled technicians. Alternatively, RATBLOCK™ is available in convenient kit form for operators to carry out their own operations. Kits include the fabric bag (sized to fit the pipe being sealed), sufficient two-part expanding resin foam sealant in a ready-to-use sachet together with gloves and full instructions.

A RATBLOCK™ bag may be installed from remote locations up to a distance of 20m. Longer distances can be achieved although consultation with our technicians is strongly advised if this is to be attempted. Line of sight is not required as a standard CCTV camera system can be used to install.

Description	Part No.	
4” Ratblock Bag Kit	503404	
6” Ratblock Bag Kit	503406	



Illustrated Parts and Price lists Are Available

Just ask sales@stevevick.com

- Dead Service Insertion 17.5mm (17.5 sealant cartridges)
- Drainblock and Ratblock
- Flowstop & Abandonment (Foambags, Dead End Seals, Foam Caps, Hacksaw Blades)
- Hire Parts & Price List (plant hire)
- Keel Cutter (N450 & N600 requires power pack for use, also available)
- Live and Dead Service Insertion (rigid 4 wheel cutter, foampack, nosecones, mini end seals, taper tools)
- Live Mains Insertion (Lyontec Glandboxes, Insertion and End Seals, Liveheads and Test Ends)
- Live Service Insertion -20-25mm (Pushing machine for use with kit, foampack, nosecones, mini end seals)
- Live Service Insertion 32mm (Pushing machine for use with kit, foampack, nosecones, mini end seals)
- Live Service Isolator - Generic Large (Isolators with clamps, etc.)
- Live Service Isolator - Generic Small (Isolators with clamps, etc.)
- Live Service Transfer (Drills, holesaws, foam stop tees and kits)
- Macaw Pipe Cracker (Mini Macaw 4-8" and Large Macaw 12-24")
- Mini Purge Ejector
- Pipe Coil Trailer 125 - 160
- Pipe Coil Trailer 180
- Pipe Coil Trailer 50 - 90
- Pipe Coil Trailer 90 500
- Pipe Handler 125 Mini (for use with 1.5 ton digger)
- Pipe Handler 180 Midi (for use with 3 ton digger)
- Pipe Handler 355 , 500 , 630 (for use with 5-8 ton, may suit larger size diggers)
- Polyfill
- Pushing Machine 125 Pneumatic
- Pushing Machine 180 Hydraulic (requires power pack for use, also available)
- Rapid Service Isolator (Applicator gun, kit bag and sealant)
- Service Removal Tool (Service removal tool, 4 wheel cutters)

