

Flowstop & Abandonment Parts List



FOAMBAG™


(temporary flow stopping)

A unique flow-stopping system for live gas pipework



Kit Size (Equal to dia. of main)	Part No.
3"	FK082
4"	FK070/N
5"-6"	FK071
8"/9"	FK072
10"	FK073

FOAMBAG Kit Size (equal to the diameter of the main)	Diameter of injection standpipe	SVI Applicator Gun Required
3"	1" BSP	21cm
4"	1" BSP	21cm
5"-6"	1" BSP	21cm
8"/9"/10"	1 ½" BSP	40cm
12" and above are available as an SVI contracting service. Please call to book services.		



Equipment		
Description	Part No.	
Applicator Gun – of robust construction, hinged for easy use, cast end plates for long life		
21cm Applicator Gun For 3" – 6" mains	FH020	
40cm Applicator Gun For 7" – 10" mains	FH021	
1" Standpipe for 3" – 6" Foambags Inc. Pliers, 1" BSP thread, c/w Pliers	FH027	
1 1/2" Standpipe for 7" – 10" Foambags Inc. Pliers, 1 1/2" BSPthread, c/w Pliers	FH028	
Modified Wask Night Cap For 3"-6" and 7"-10"	FH026	
Wask Inspection Hood	500228	
24mm Pipe Support Prop (Acrow) – 3" to 8" Min. Length 23cm, Max. extended length 35cm.	H0281	
30mm Pipe Support Prop (Acrow) – 8" & above Min. Length 23cm, Max. extended length 35cm.	H0283	


CONTRACT SERVICE

S.V.I. supplies kits and equipment for utilities to carry out their operations. In addition, our Contracts Services Team carries out the flow stopping of very large diameter pipes and medium pressure work.




DEAD END SEAL

For sealing the annulus on 'dead' gas mains. Prevents reinstatement 'slump'



Central Dead End Seal – used when the PE is passing through the host pipe centrally.



Offset Dead End Seal – used when the PE is passing through the host pipe off centre (to one side, top or bottom).

Cast/ Steel Dia.	INSERTED P.E. MAIN DIAMETER													
	STOCK CODE													
	*LARGE SIZES AVAILABLE ON REQUEST													
	63mm	75mm	90mm	125mm	140mm	180mm	213mm	225mm	250mm	268mm	280mm	315mm	355mm	400mm
4"	FK121	FK122	FK123											
6"	FK127	FK191	FK129	FK130	FK131									
8"	FK132	FK132	FK133	FK134	FK136	FK135								
10"	FK141	FK141	FK142	FK143	FK137	FK144	FK146	FK313						
12"	FK148	FK148	FK149	FK150	FK312	FK151	FK153	FK314	FK154	FK155	FK232			
14"		FK255						FK315	FK159	FK316	FK317	FK160		
15"						FK162			FK263	FK318	FK319	FK301	FK386	
16"			FK327			FK278/1			FK163	FK320	FK175	FK168	FK532	
18"	FK326/1			FK328		FK173			FK170	FK321	FK322	FK164	FK176	FK390
20"											FK323	FK186	FK325	FK256
24"									FK165		FK324	FK166	FK188	FK279

FOAM CAPS





An alternative to mechanical caps.
Foam caps are easy-fit and require little space – for abandoned gas mains and other pipework.

Pipe Diameter	Part No.
4"	FK092
5"	FK093
6"	FK094
7"	FK095
8"	FK096
10"	FK098
12"	FK099
14"	FK100
15"	FK101
16"	FK102
18"	FK103
20"	FK104
24"	FK105

For larger diameter pipes a contract service is available.




Description	Part No.	
<p>Mini Purge Ejector Complete Venturi Section</p>	<p>500300</p>	 <p>A vertical Mini Purge Ejector with a red base and top. It features a central black shaft with a white label that reads 'Mini Purge'. A horizontal black handle is attached to the shaft, and a yellow hose is connected to the side.</p>
<p>Extension Tube (Vent Stack) Includes sockets required for assembly</p> <p>Two are required to ensure 2.5m above ground when purging</p>	<p>500301</p>	 <p>A long, dark grey cylindrical extension tube with a black cap at the bottom. A small white label is visible near the bottom of the tube.</p>


BLADES

HACKSAW, CARBIDE FENSAW

DUCTILE & STEEL

Main Diameter (inches)	Length of Blade (mm/inches)	Part No.	
3	200/8	501075	
4	250/10	501111	
6	300/12	501076	
8	400/16	501077	
10	450/18	501078	
12	530/21	501084	
14	600/24	501135	
16	700/28	501116	
18	800/32	501117	

CAST

Main Diameter " (inches)	Length of Blade (mm/inches)	Part No.	
6	300/12	501142	
8 - 10	400/16	501082	
12	500/20	501118	
14 - 16	600/24	501193	



Pipe Handling Equipment

- Pipe Coil Trailer 50 - 90
- Pipe Coil Trailer 125 - 160
- Pipe Coil Trailer 180
- Pipe Coil Trailer Hexi
- Pipe Handler 125 Mini (for use with a 1.5-ton digger)
- Pipe Handler 180 Midi (for use with a 3-ton digger)
- Pipe Handler 355, 500, 630, 900 (for use with 5-8 tonne, may suit larger size diggers)
- Perpetual Pipe Pusher 63 – 180mm Pipe
- **NEW** - Coil Control Unit
- **NEW** – Long Reach Band Cutter (LRBC)

Pipe Cutting/Cracking Equipment

- Hire Parts & Price List (plant hire)
- Keel Cutter (N450 & N600 require power pack for use, also available)
- MACAW Pipe Crackers – Mini MACAW 3 – 8" and MACAW – 8 – 24"
- Rapid Pipe Cutters – Window and Circumferential cutters for Ductile
- Steel Pipe Cutters – Window and Circumferential cutter for Steel
- Crackerjack™
- PE Pipe Cutter

Gas Service Renewal

- Dead Service Insertion 17.5mm (17.5 sealant cartridges)
- Live and Dead Service Insertion (rigid 4-wheel cutter, FOAMPACK™, nosecones, mini end seals, taper tools)
- Live Service Insertion -20-25mm (Pushing machine for use with the kit, FOAMPACK™, nosecones, mini end seals)
- Live Service Insertion 32mm (Pushing machine for use with the kit, FOAMPACK™, nosecones, mini end seals)
- Live Service Isolator - Generic Large (Isolators with clamps, etc.)
- Live Service Isolator - Generic Small (Isolators with clamps, etc.)
- Live Service Transfer (Drills, hole saws, foam stop tees, and kits)
- Rapid Service Isolator (Applicator gun, kit bag, and sealant)
- Service Removal Tool (Service removal tool, 4-wheel cutters)

Live Mains Insertion

- Live Mains Insertion (Lyontec Gland boxes, Insertion and End Seals, Live Heads and Test Ends)

Flowstopping/Pipe Sealing

- Flow stop & Abandonment (FOAMBAG™, Dead End Seals, Foam Caps, Hacksaw Blades)
- Mini Purge Ejector
- DRAINBLOCK BAG™ and RATBLOCK™



01225 864 864 | info@stevevick.com | stevevick.com

Registered office: Steve Vick International Ltd, Treenwood Industrial Estate, Bradford-on-Avon, Wiltshire, BA15 2AU. Registration No. 1564477

Steve Vick International reserve the right to amend specifications without prior notice. © Steve Vick International Ltd 2021. All Rights Reserved