

Products & Services



Water Utilities

A quick guide



stevevick.com | 01225 864 864

-
-
-
-
-
-
-

Pipe Handling



125mm Mini Pipe Handler

Attaches to a 1.5-3 tonne digger arm for inserting and manoeuvring PE up to 125mm. Kit includes full range of shells, 63-90mm.

EFFICIENT — fast, lightweight tool with insertion speeds of 10+ metres per minute.

For more information [scan here](#) ▶



180mm Midi Pipe Handler

Designed to fit a 3 tonne digger, the Midi is ideal for inserting coils or sticks of PE up to 180mm. Kit includes full set of shells, 63-125mm.

SAFE — the side loading jaw avoids the need for operatives to work in the trench.

For more information [scan here](#) ▶



The Pipe Handler

The original digger mounted pushing machine for Tier 2 mains, designed to insert and manoeuvre sticks of PE from 250mm up to 900mm. Fits 5-11 tonne digger.

Maximum size for insertion of PE : 500mm for water pipe and 630mm for gas pipe.

For more information [scan here](#) ▶



Perpetual Pipe Pusher™

A digger attachment used to continuously insert PE from 63mm up to 180mm using hydraulically driven rubberised rollers.

Once the Perpetual Pipe Pusher is correctly positioned in the trench, the digger arm remains static throughout the insertion.

For more information [scan here](#) ▶



Pipe Cutting




Rapid Window Cutter

Compact, hand-held cutter for cutting windows in live or dead inserted mains, without risk of damaging inserted PE.

Suitable for all sizes of steel and ductile mains up to 13mm in depth.

Fast cutting times compared with traditional methods.

For more information [scan here](#) ▶



Rapid Rotary Cutter

Circumferential Cutter for steel, ductile & cast iron mains up to 12" in diameter.

Quick cutting time — approx 2 mins per cut on 4"/100mm ductile iron and 4 mins per cut on 4"/100mm steel.

For more information [scan here](#) ▶



Keel Cutter

Circumferential cutting and beveling machine which cuts steel, cast iron, ductile iron and plastic up to 1600mm in diameter.

Fast cutting time — typically 8 minutes to cut a 300mm diameter cast iron pipe. Available to purchase, hire or as a contract service.

For more information [scan here](#) ▶



PE Pipe Cutter

A circumferential cutter, designed to cut large diameter PE pipe in a single rotation, quickly and safely.

Extremely quick cutting time — approximately 3 minutes to cut a 630mm diameter PE pipe

For more information [scan here](#) ▶



Pipe Cracking



CRACKERJACK™

The fast, safe and affordable way to break out cast iron mains up to 6".

20 tonnes of break-out force cracks a 6" main in minutes.

Controlled break out avoids damaging internal PE.

For more information [scan here](#) ▶



HD Mini MACAW Pipe Cracker™

For safe, effective cracking of small diameter, redundant cast iron gas mains – 4" to 8".

For use on abandoned and inserted mains, without damaging internal PE. Ideal for use with Live Mains Insertion.

For more information [scan here](#) ▶



MACAW Pipe Cracker™

The MACAW Pipe Cracker is a digger attachment for the safe and effective cracking of redundant cast iron mains – 8 – 24" (200mm to 610mm) diameter.

Easy Access – access around the whole circumference of the pipe is not required.

For more information [scan here](#) ▶



Renewable Power



renset®


Renset is a state of the art power station designed with the build professional in mind.

Ensuring seamless energy delivery through swappable battery modules, minimising downtime and maximising efficiency.

For more information [scan here](#) ▶



Pipe Coil Trailers



Hexi Pipe Coil Trailer™

Transports and dispenses 63-90mm coils of all lengths, up to 500m – or 200m of 125mm.

Cost saving — by using 500m coils over several projects, PE wastage is reduced by up to 20%.

Easy to use — raised central drum dispenses quickly and effortlessly.

For more information [scan here](#) ▶



180mm Pipe Coil Trailer

For the safe transport, storage and dispensing of coiled PE from 40mm to 180mm.

Accommodates a 100 metre coil of 180mm SDR 11/17 PE. Leading end of PE is strapped to frame, preventing potential 'spring', avoiding injury hazard.

For more information [scan here](#) ▶



125/160 Pipe Coil Trailer

For the safe transport, storage and dispensing of coiled PE from 40mm up to 160mm.

Accommodates a 100 metre coil of 160mm SDR17 PE or a 150 metre coil of 125mm SDR17 PE.

For more information [scan here](#) ▶



50/90 Pipe Coil Trailer

For the safe transport, storage and dispensing of coiled PE from 40mm up to 125mm.

Accommodates a 100 metre coil of 90mm PE or a 50 metre coil of 125mm PE.

For more information [scan here](#) ▶



Safe Pipe Management



CoilControl™

CoilControl is a pipe installation device specifically engineered to minimise the stored energy when handling and dispensing coiled pipe.

This versatile device handles pipe diameters ranging from 125mm to 180mm, ensuring a safer, more efficient pipeline installation process.

For more information [scan here](#) ▶



LONG REACH™

BAND CUTTER



The Long Reach Band Cutter enables cutting steel bands on pipe coils from a minimum safe distance of 3 metres.

For more information [scan here](#) ▶



Drainage Solutions



RATBLOCK™

Available for permanently sealing off disused sewer or drainpipes and is ideal for dealing with the troublesome problem of rats gaining access to buildings.

Flexible – kits are available to fit pipe diameters 10cm and 15cm (4" and 6").

For more information [scan here](#) ▶



DRAINBLOCK BAG™

A semi-porous bag, containing a sealed sachet of PU resin foam, which expands to form a permanent plug.

Minimises disruption – avoids excavating in the roadway as the bag can be installed 15 metres from the point of access.

Prevents ground water from entering sewers.

For more information [scan here](#) ▶

